



WOODMOOD

wood for life



PUIDUKODA

WOOD FOR LIFE

WOODMOOD

Product catalogue 2020

Woodmood products for interior design and
exterior finishing

Puidukoda passionately believes in creating a better living environment. Our philosophy is that wood creates a beautiful milieu and natural environment, both in the interior and exterior living spaces. We believe that wood helps create a cozy atmosphere and to achieve this we have 19 beautiful ready-made products from Nordic timber to create this good mood in your homes and help you with quality timber products.

WOODMOOD IS AN INTERNATIONAL
PREMIUM QUALITY TIMBER BRAND
BY PUIDUKODA




RUSTIK

Cappucino/ Denim/ Smoke/ Mint / Cherry/ Lemon


Rustik painted wood profiles with the aged and rustic surface treatment, suitable for interior use. RUSTIK can be ordered only with fine sawn surface. Can be installed both vertical and horizontal. Creates charming shabby chic effect. Decorative surface, easy to clean, no dust or dirt problems.

- Suitable for interior wall and ceiling finishes
- Easy to install as the product is already painted, also has an end pin installation system, that reduces material consumption
- Environmentally friendly material
- Effect of worn wood

interior panelling



Dimensions (mm)	Profile	Covering width (mm)	Quality	Length (mm)	Pcs in bundle
12 x 120	PTGV/OT	110	AB	2400	8



- Wood species: Spruce
 - Cross section: 12x120mm (2.3 m2 in bundle)
 - Covering width : 110mm
 - Surface treatment: painted
 - Color: 6 different shades
cappucino/ denim/ smoke/ mint / cherry/ lemon
 - Result: Natural, warm, rustic
 - Industrially finished
 - Fast and comfortable installation
 - Naturally worn look adds accent to your interior
-
- Teknos is one of the leading producers of industrial wood coatings in Europe with over 60 years experience in producing high quality coating products suitable for the hard Nordic conditions.
 - Puidukoda is using Teknos eco-friendly waterbased acrylic paints and lacquers with high wear resistance for producing the painted products.




KONTRAST

Black-White / Blue-White / Brown-White


Kontrast painted wood profiles with the aged and rustic surface treatment, suitable for interior use. Kontrast creates charming barnwood effect and can be installed both vertical and horizontal. Decorative surface and easy to clean, no dust or dirt problems. Kontrast painting is done with two color tones, one for the base layer and the other for finishing layer, that brings out the wood pattern and structure. Kontrast is painted with waterbased acrylic paint Nordica Eko, that is environmentally friendly product.

- Suitable for interior wall and ceiling finishes
- Easy to install as the product is already painted, also has an end pin installation system, that reduces material consumption
- Environmentally friendly material
- Effect of worn wood

interior panelling



Dimensions (mm)	Profile	Covering width (mm)	Quality	Length (mm)	Pcs in bundle
12 x 120	PTGV/OT	110	AB	2400	8



- Species: spruce
- Dimensions: 12x120 mm (2.3 m2 in bundle)
- Covering width : 110 mm
- Surface treatment: painted
- Color tones: 3 different shades
black-white / blue-white / brown-white
- Result: natural, warm, decorative
- Industrially finished
- Fast and comfortable installation
- Naturally worn look adds accent to your interior

- Teknos is one of the leading producers of industrial wood coatings in Europe with over 60 years experience in producing high quality coating products suitable for the hard Nordic conditions.
- Puidukoda is using Teknos eco-friendly waterbased acrylic paints and lacquers with high wear resistance for producing the painted products.



DRAGON

black semimatt

Decorative structured painted timber cladding DRAGON has been inspired by the traditional Japanese technique of burning timber. Can be installed both vertical and horizontal.

Dragon has been created with modern timber technology, allowing for a charred effect timber cladding with a natural look and a guaranteed longer lasting surface finish compared to charred wood.

- Suitable for interior wall finishes
- Easy to install as the product is already painted, also has an end pin installation system, that reduces material consumption
- Environmentally friendly material
- Beautiful charred effect

interior panelling



Dimensions (mm)	Profile	Covering width (mm)	Quality	Length (mm)	Pcs in bundle
19 x 146	PTGH/OT	136.5	AB	2400	6



- Wood species: spruce
 - Dimensions: 19x146 mm (2.1 m2 in bundle)
 - Covering width : 136.5 mm
 - Surface treatment: painted
 - Color tones: black, semimatt
 - Result: Natural, embossed, decorative
 - Industrially finished
 - Fast and comfortable installation
 - Naturally worn look adds accent to your interior
-
- Teknos is one of the leading producers of industrial wood coatings in Europe with over 60 years experience in producing high quality coating products suitable for the hard Nordic conditions.
 - Puidukoda is using Teknos eco-friendly waterbased acrylic paints and lacquers with high wear resistance for producing the painted products.

WOODMOOD



Home interior with black Dragon,
photo from Puumarket



WAX

White

White Wax wood profiles with natural and silky smooth translucent surface treatment, suitable for interior use. White Wax can be installed both vertical and horizontal.

Creates charming natural wood effect. Eco-friendly and warm, easy to clean, no dust or dirt problems. Finished with 2 layers of Teknos wax, which has very good durability and abrasion resistance. Teknos paints and waxes are produced in an environmentally friendly way.

- Suitable for interior wall and ceiling finishes
- Easy to install as the product is already waxed, also has an end pin installation system, that reduces material consumption
- Environmentally friendly material
- Light and bright interior design



interior panelling



Dimensions (mm)	Profile	Covering width (mm)	Quality	Length (mm)	Pcs in bundle
12 x 120	PTGV/OT	110	AB	2400	8



- Wood species: spruce
- Dimensions: 12x120 mm (2.3 m2 in bundle)
- Covering width : 110 mm
- Surface treatment: wax
- Color tones: White
- Result: Natural white, translucent, smooth
- Industrially finished
- Fast and comfortable installation
- Naturally white wood accent to your interior

- Teknos is one of the leading producers of industrial wood coatings in Europe with over 60 years experience in producing high quality coating products suitable for the hard Nordic conditions.
- Puidukoda is using Teknos eco-friendly waterbased acrylic paints and lacquers with high wear resistance for producing the painted products.



WOODMOOD



Puidukoda office interior in Tartu,
White Wax and Arktik Basalt



OLD SAW

Grey-white / Brown-white / White

Decorative structured painted timber flooring OLD SAW has a saw-blade pattern effect.

Industrially painted interior flooring is available in 3 colour tones – brown-white, grey-white and white.

Pattern is made with a special technique and coated with 2 layers of paint and the last layer is laquer, that makes the flooring even more durable.

Old Saw flooring has a naturally worn look and this creates a nice natural touch for your interior.

- Suitable for interior flooring
- Easy to install as the product is already factory painted, no additional staining necessary
- Environmentally friendly material
- Decorative surface, easy to clean, no dust or dirt problems

interior flooring



Grey-White




Brown-White



White


Dimensions (mm)	Profile	Covering width (mm)	Quality	Length (mm)	Pcs in bundle
28 x 145	HLL/OT	137	AB	2550	4



- Wood species: spruce
 - Dimensions: 28x145 mm (1.4 m² in bundle)
 - Covering width : 137 mm
 - Surface treatment: painted
 - Color tones: Grey-white / Brown-white / White
 - Result: Natural, embossed, decorative
 - Industrially finished
 - Fast and comfortable installation
 - Naturally worn look adds accent to your interior
-
- Teknos is one of the leading producers of industrial wood coatings in Europe with over 60 years experience in producing high quality coating products suitable for the hard Nordic conditions.
 - Puidukoda is using Teknos eco-friendly waterbased acrylic paints and lacquers with high wear resistance for producing the painted products.

WOODMOOD

Home interior in Tallinn, Kalamaja,
flooring Arktik Basalt



ARKTIK

Basalt / Limestone

Decorative structured painted timber flooring ARKTIK has a wood pattern effect. Industrially painted interior flooring is available in 2 color tones – light grey Limestone and dark brown Basalt.


Pattern is made with a special technique and coated with 2 layers of paint, flooring very beautiful and durable. ARKTIK flooring has a natural worn look and this creates a nice natural touch for your interior.

- Suitable for interior flooring
- Easy to install as the product is already factory painted, no additional staining necessary
- Environmentally friendly material
- Decorative surface, easy to clean, no dust or dirt problems

interior flooring



Dimensions (mm)	Profile	Covering width (mm)	Quality	Length (mm)	Pcs in bundle
28 x 145	HLL/OT	137	AB	2550	4



- Wood species: spruce
 - Dimensions: 28x145 mm (1.4 m2 in bundle)
 - Covering width : 137 mm
 - Surface treatment: painted
 - Color tones: Basalt (dark brown) / Limestone (light grey)
 - Result: Natural, painted, decorative
 - Industrially finished
 - Fast and comfortable installation
 - Naturally worn look adds accent to your interior
-
- Teknos is one of the leading producers of industrial wood coatings in Europe with over 60 years experience in producing high quality coating products suitable for the hard Nordic conditions.
 - Puidukoda is using Teknos eco-friendly waterbased acrylic paints and lacquers with high wear resistance for producing the painted products.



VIKING


Anthracite Grey 1826 (translucent)

The solid wood cladding VIKING is suitable for the exterior finishing of buildings. The cladding profile is for covering the facades of new buildings as well as for renovating old buildings. We recommend the UTK profile mainly for horizontal installation.

VIKING is a very practical profile, where a lot of work has already been done for the client or the builder. Industrial painting provides a flawless surface and ensures a longer life of the cladding and resistance to hard weather conditions. This cladding has a clean finish, with a hidden fix tongue and groove shiplap profile to conceal its fixings. It can be extended to fit larger areas that require cladding due to its end matching profile.

- Suitable for exterior wall finishing
- Easy to install as the product is already painted, also has an end matching system, that reduces material consumption
- Environmentally friendly material

exterior cladding



Dimensions (mm)	Profile	Covering width (mm)	Quality	Length (mm)	Pcs in bundle
19 x 146	UTK/OT	123	AB	4200	6



- Wood species: spruce
 - Dimensions: 19x146 mm (3.67 m² in bundle)
 - Covering width : 123 mm
 - Surface treatment: painted
 - Color tones: Anthracite Grey (translucent)
 - Result: Natural grey, translucent, microriffled
 - Industrially finished
 - Fast and comfortable installation
 - Natural light grey finishing
-
- Teknos is one of the leading producers of industrial wood coatings in Europe with over 60 years experience in producing high quality coating products suitable for the hard Nordic conditions.
 - Puidukoda is using Teknos eco-friendly waterbased acrylic paints and lacquers with high wear resistance for producing the painted products.



FERROUS

Old Look / Pre-Aged

Woodmood FERROUS cladding profile is made from Siberian larch, which is an extremely durable and weatherproof material. Siberian larch has been treated with a wood reactive agent that is non-toxic with a grey pigment. We apply this to timber decking and cladding in a factory environment. The agent reacts with the wood fibres to give a more uniform grey weathered look. This treatment allows for more consistent and faster color change than normal untreated timber. The treated Siberian larch cladding profile is weather-resistant and almost maintenance free. Siberian larch is the best choice for facade or decorative wall, not necessary to overcoat it every year. The product is easy to install and is already pre-aged.

- Suitable for exterior cladding, fences, outdoor buildings etc
- Easy to install as the product is already stained
- Environmentally friendly material

exterior cladding



Dimensions (mm)	Profile	Covering width (mm)	Quality	Length (mm)	Pcs in bundle
28 x 70	RHOMB	70	AB	4000	6



- Wood species: Siberian larch
 - Dimensions: 28x70 mm (2.24 m2 in bundle)
 - Covering width : 70 mm
 - Surface treatment: sawn, treated with ferrous-sulphate
 - Color tones: Old Look / Pre-aged
 - Result: Weathered grey, translucent
 - Industrially finished
 - Fast and comfortable installation
 - Natural pre-aged grey finishing
-
- Teknos is one of the leading producers of industrial wood coatings in Europe with over 60 years experience in producing high quality coating products suitable for the hard Nordic conditions.
 - Puidukoda is using Teknos eco-friendly waterbased acrylic paints and lacquers with high wear resistance for producing the painted products.

WOODMOOD

Tidal Stone, Jurassic Coast Wood House, UK
Old Look pre-aged Siberian Larch




FERROUS

Old Look / Pre-aged

Woodmood FERROUS decking profile is made from Siberian larch, which is an extremely durable and weatherproof material. Siberian larch has been treated with a wood reactive agent that is non-toxic with a grey pigment. We apply this to timber decking and cladding in a factory environment. The agent reacts with the wood fibres to give a more uniform grey weathered look. This treatment allows for more consistent and faster color change than normal untreated timber. The treated Siberian larch terrace profile is weather-resistant and almost maintenance free. Siberian larch is the best choice for building a terrace, it is necessary to do a light cleaning of the surface every year, but not necessary to overcoat it. The product is easy to install and is already treated.

- Suitable for exterior terraces
- Easy to install as the product is already stained
- Environmentally friendly material

decking



Dimensions (mm)	Profile	Covering width (mm)	Quality	Length (mm)	Pcs in bundle
27 x 144	DECK	144	AB	4000	4



- Wood species: Siberian larch
 - Dimensions: 27x144 mm (2.3 m2 in bundle)
 - Covering width : 123 mm
 - Surface treatment: smooth, treated with ferrous-sulphate
 - Color tones: Old Look / Pre-aged
 - Result: Weathered grey, translucent
 - Industrially finished
 - Fast and comfortable installation
 - Natural pre-aged grey finishing
-
- Teknos is one of the leading producers of industrial wood coatings in Europe with over 60 years experience in producing high quality coating products suitable for the hard Nordic conditions.
 - Puidukoda is using Teknos eco-friendly waterbased acrylic paints and lacquers with high wear resistance for producing the painted products.





PAINT CHARACTERISTICS AND COLOR DISCLAIMER

- Teknos is one of the leading producers of industrial wood coatings in Europe with over 60 years experience in producing high quality coating products suitable for the hard Nordic conditions.
- Puidukoda is using Teknos waterbased acrylic paints and lacquers with high wear resistance for producing the Woodmood painted products, Teknos paints are produced eco-friendly and sustainably. As a company Puidukoda is highly committed to protect the planet and make the resources last longer.

Color Disclaimer

Actual colors may vary. We try to edit our photos to show the samples as life-like as possible, but please understand the actual color may vary slightly from your point of view.



PUIDUKODA

WOOD FOR LIFE



The mark of
responsible forestry

WOODMOOD

f woodmood

ig puidukoda.eu

in puidukoda

Puidukoda OÜ

Karksi Mulgi parish
69104 Viljandi county
Estonia
www.puidukoda.eu

Environmentally Friendly Printing